



Notified body N° 0075

EC-TYPE EXAMINATION CERTIFICATE

The following model of Personal Protective Equipment has been subjected to an EC-type examination in accordance with the article 10 of the PPE Directive (89/686/EEC) and has been shown to satisfy the relevant provisions of the Directive.

**Certificate N° 0075/1668/162/01/13/0075 EXT 01/02/13**

Is given to the following model of personal protective equipment :

**Issued to :** JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD

CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA

**Distributor :**

CHINA  
PORTWEST LTD  
Westport, Co Mayo  
Ireland

**Product reference :**

A340

**Description :**

**PPE Type :** *Protective gloves against mechanical risks.*

**Reference standard :** *EN 388 : 2003.*

**Category :** *II*

Full description of the PPE, reference rules verified in the context of the EC-type examination and information given on the product are detailed in the complete certificate.

**Issued in Lyon by** Lionel Gaudillere  
Head of CE marking

**Date of issue :** February 05th, 2013



In application of the Directive ref 89/686/EEC of the 21th December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decree N°92-765, 766 and 768 of the 29th July 1992 concerning the transposition of this Directive into French law. CTC is notified by decree of the Ministry of work of the 20th December 2010 and is registered under the number 0075 in OJEU.



4 rue Hermann Frenkel 69367 Lyon cedex 07 FRANCE  
Tel : 33.472.761.010 - Fax : 33.472.761.000 - email : ctclyon@ctcgrroupe.com - www.ctc.fr  
Comité professionnel de développement économique cuir chaussure maroquinerie  
Siret 77564972600160 - code NAF 9412Z - TVA FR 88775649726





In application of the Directive ref. 89/686/EEC of the 21<sup>st</sup> of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29<sup>th</sup> of July 1992 concerning the transposition of this Directive into French law,

## CTC

4, rue Hermann Frenkel - 69367 Cedex 07 - France

Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

Comité Professionnel de Développement Cuir Chaussure Maroquinerie - Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010,

registered under the number 0075, published in OJEC, delivers :

### CE TYPE EXAMINATION CERTIFICATE 0075/1668/162/01/13/0075 EXT 01/02/13

To the following model of personal protective equipment :

- \* protective glove against mechanical risks.
- \* reference of the model : A340
- \* responsible for placing on the market :

**JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD**

**CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA**

**CHINA**

- \* distributor :

**PORTWEST LTD**

**Westport, Co Mayo**

**Ireland**

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Drawn up in Lyon, on February 05th, 2013

Issued by Lionel GAUDILLERE



NOTA : Any modification to new items of the personal protective equipment object of this CE type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the CE type approval certificate (change of adress, change of company status) should be brought to the attention of the notified body in accordance with law n° R. 4313-38 of the French Code of Work.

## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 01

Reference : A340

Minor Variant of the model :LF-1

Dated : FEBRUARY, 2013

15G LINER WITH LATEX COATED

### Available sizes :

7/S    8/M    9/L    10/XL    11/XXL

### Visual description :



### Material :

	Colour	Material	Gauges	Thikness
PALM	BLACK	LATEX		
	YELLOW	POLYESTER	15	
BACK	YELLOW	POLYESTER	15	
LINING				
CUFF	YELLOW	POLYESTER	15	
BINDING	yellow/ green/ white/ light blue/ red/ dark blue	NYLON		



## 2. PROTECTION SCOPE

**Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:**

- \* EN 420:2003+A1:2009 - General requirements for gloves and test methods
- \* EN 388:2003 - Protective glove against mechanical risks
- \* At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

**References of test reports performed in order to verify the compliance with the requirements of the technical rules :**

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62458-12, SH60038-13		SH62458-12
Azo	SH61032-12, SH62458-12		
EN 388	SH61092R1-12		

**Performance levels offered against mechanical risks (EN 388:2003) are:**

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
2	1	2	1

The levels of performance have been measured on the palm




### 3. MARKING

**Each glove is clearly marked with the following information:**

- \* Logo of the authorized representative:
- \* **CE** marking
- \* reference of the model: A340
- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

**Marking example:**



**JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD**

## **MANUFACTURER'S TECHNICAL FILE**

<b>Reference of the product</b>	<b>:</b>	<b>A340</b>
<b>Technical file index</b>	<b>:</b>	<b>01</b>
<b>Last update</b>	<b>:</b>	<b>FEBRUARY, 2013</b>

## IDENTIFICATION

Reference of the product :	:	A340
Minor Variant of the model :	:	LF-1
Technical file index :	:	01
Last update :	:	FEBRUARY, 2013

### **CE Type Examination Applicant :**

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD  
CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA  
CHINA

tel : 0510-86871166  
fax : 0510-86871799

### **Manufacturer :**

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD  
CHANGSHOUW TOWN,JIANGYIN,JIANGSU PRO  
CHINA

tel: 0510-86871166  
fax: 0510-86871799

### **Distributor :**

PORTWEST LTD  
Westport, Co Mayo  
Ireland  
Tel : 353 98 26411

## GLOVE DESCRIPTION

### Glove description :

15G LINER WITH LATEX COATED

### Visual description:



### Available sizes :

Minimum length of glove (mm)	Sizes
230	7/S
240	8/M
250	9/L
260	10/XL
270	11/XXL

### Glove constitution :

	Reference	Colour	Material	Surfacic mass	Gauges	Thikness
PALM		BLACK	LATEX	300		
		YELLOW	POLYESTER	200	15	
BACK		YELLOW	POLYESTER	200	15	
LINING						
CUFF		YELLOW	POLYESTER	200	15	
BINDING		yellow/ green/ white/ light blue/ red/ dark blue	NYLON			



## PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protection Equipment Directive (89/686/CE).

This glove is designed for mechanical risks.

It is a category II product.

## GENERAL REQUIREMENTS

### **Standard EN 420 : 2003 + A1 : 2009**

Dexterity : 5

PH of glove and lining is greater than 3.5 and lower than 9.5 : yes

Chromium VI lower than the detection limit : conform

Size : conform

At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (552/2009/EC and associated revisions)

## SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

### **Mechanical hazard EN 388 : 2003**

Protection offered	Performance levels
Abrasion resistance	2
Blade cut resistance	1
Tear strength resistance	2
Puncture resistance	1

## TEST REPORTS

Laboratory	CTC Asia	CTC France	Other
EN 420	SH62458-12, SH60038-13		SH62458-12
Azo	SH61032-12, SH62458-12		
EN 388	SH61092R1-12		

## MARKING - PACKAGING

### Information printed on the glove :

Logo of the authorized representative :

Logo 

Glove's reference : A340

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram

### Marking example :



### Method of marking on the glove :

heat transfer printing and screen printing on the back of gloves

### Packaging :

12 pr per polybag, 240 prs per carton

## MEANS OF CONTROL

- 1)WE BUY YARN(INCLUDE OVERLOCK AND ELASTIC) FROM SAME SUPPLIER,AND ASK YARN SUPPLIERS USE SAME MATERIAL SUPPLIERS, SO THAT WE CAN GET SAME QUALITY.
- 2)AFTER WE GET MATERIALS,WE WILL CHECK QUALITY,COLOUR,THICKNESS ECT,AND DO SAMPLES AND TEST.  
IF SAMPLES AND TEST ARE NOT APROVAL,WILL REJECT TO SUPPLIERS AND CHECK WHICH PART HAS PROBLEM.
- 3)BEFORE MASS PRODUCTION,WE WILL DO PRE-PRODUCTION SAMPLES AND TEST.
- 4)DEFECTIVE PRODUCTS IN MASS PRODUCTION,WE WILL PUT THEM INTO DEFECTIVE PRODUCTS WAREHOUSE.
- 5)WHEN WE PROCEED PRODUCTION,WE WILL CHECK QUALITY ,COLOUR,THICKNESS,SMELL ECT.WE WILL FIND WHICH PART HAS PROBLEM IF THERE HAS DEFECTIVE PRODUCTS.
- 6)INSPECTION WORKERS AND PACKING WORKERS WERE TRAINED AND KNOW HOW TO INSPECT PRODUCTS.  
DEFECTIVE PRODUCTS IN PACKING ROOM WERE PUT INTO DEFECTIVE PRODUCTS WAREHOUSE.
- 7)WE SEND COMPLETE SAMPLES TO CUSTOMERS FOR APPROVAL.
- 8)WE SEND SAMPLES FOR TESTING.
- 9)AFTER CUSTOMERS AND TEST PPROVAL,WE WILL DELIVER.
- 10)WE WILL GIVE FEEDBACK IF CUSTOMERS HAVE QUESTIONS

## INSTRUCTION FOR USE

JIANGYIN RUICHUAN INTERNATIONAL TRADING CO.,LTD

CHANGSHOU TOWN,JIANGYIN,JIANGSU,CHINA

CHINA

Glove reference : A340

Available sizes : 7/S 8/M 9/L 10/XL 11/XXL

### **Glove description :**

15G LINER WITH LATEX COATED

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the Directive 89/686/CEE : innocuousness, comfort, solidity.

It has been subject to a CE type Examination performed by :

C.T.C. (OO75)  
4, rue Hermann Frenkel  
69367 LYON Cedex 07  
FRANCE

### **Applicable standards :**

The glove meets the requirements of the standard EN 420 « General requirements for work glove ». Dexterity : 5

Moreover, this glove has been designed for the following applications :



#### Application :

Mechanical hazard - EN 388



2121

Levels of performance

Abrasion resistance	2	(on 4 maxi)
Blade cut resistance	1	(on 5 maxi)
Tear resistance	2	(on 4 maxi)
Puncture resistance	1	(on 4 maxi)

### **Protection limit :**

*The protection against risks or hazards which are not mentioned in this document is not warranted. The levels of performance mentioned are only valid for the palm of the glove. The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated. These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.*

*This glove shall not be in contact with fire.*

*Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.*

### **Storage and cleaning notice**

*Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.*